

EADRCC REQUEST FOR INTERNATIONAL ASSISTANCE FROM UKRAINE

Message Nr. : OPS(EADRCC)(2023)0021
DTG : 7 June 2023, 07:30 UTC
From: : Euro-Atlantic Disaster Response Coordination Centre
To : Points of Contact for International Disaster Response in NATO and partner countries
Precedence : Priority
Originator : EADRCC Action Officer Tel: +32-475-829071 (SITCEN 24/7)
Reference : EAPC(C)D(98)10(Revised)

This request consists of 3 pages

1. As a result of the destruction of the dam of the Kakhovka hydroelectric power plant (KHPP), and in accordance with the procedures at reference, the EADRCC has received an urgent request for international humanitarian assistance from Ukraine to protect its population against the flooding's and its impact.

2. Description

2.1 The Ukrhydroenergo reports that KHPP was completely destroyed as a result of an explosion in the engine room. The station cannot be restored.

2.2 Blowing up the Kakhovska HPP will have devastating consequences, including regional flooding, long-term water shortages, irreparable damages to thousands of innocent civilians, and the ecosystem.

2.3 As of 07:30 on 6 June, the settlements of Tyahynka, Lvov, Odradokamyanka in the Beryslav district, Ivanivka, Mykilske Tokarivka, Poniativka, Bilozerka, and the Ostrov district of Kherson are completely or partially flooded.

2.4 The explosion of Kakhovka HPP may have negative consequences for Zaporizhzhia Nuclear Power Plant (ZNPP). Water from the Kakhovka Reservoir is necessary for the plant to receive water for turbine condensers and ZNPP safety systems. Currently, the station's cooling pond is full. As of 8:00 a.m. on 6 June, the water level was 16.6 meters, which is enough for the needs of the station, as reported by Energoatom. The situation at ZNPP is currently under control and Ukrainian personnel are monitoring it.

2.5 Ukrainian authorities are evacuating residents of the flooded areas and assessing the environmental impact and the threat to the Zaporizhzhia Nuclear Power Plant. However, due to the lack of access, conducting such an assessment is difficult.

2.6 The Mission of Ukraine to NATO has provided its most urgent needs, in line with the current situation following the destruction of the dam of the Kakhovka hydroelectric power plant.

3. Humanitarian items requested by Ukraine as of 6 June:

	Description of the items	Amount
3.1	Tanker trucks for the delivery of drinking water	10
3.2	Swamp movable vehicles with emergency and rescue equipment	10
3.3	Inflatable boats with engines	120
3.4	Metal or plastic boats	100
3.5	Inflatable rafts	50
3.6	Safety rope 200 meters long	50
3.7	Rescue boards	100
3.8	Safety rope with slings with floating balls	100
3.9	Lifebuoys	500
3.10	Fire pump and hose stations	40
3.11	Trailer motor pump (at least 600 cubic meters per hour)	60
3.12	Motor pumps for dirty water (with a capacity of at least 40 cubic meters per hour)	200
3.13	Floating motor pumps (at least 75 cubic meters per hour)	200
3.14	Pneumatic frame module (6 x 10 m) complete with heating, ventilation, lighting and additional equipment	50
3.15	Aqua suits specialized for working in cold water "dry type"	1000
3.16	Life vests	1000
3.17	Rubber half overalls complete with rubber boots	1000
3.18	Group lighting waterproof	500
3.19	Fire hoses with a diameter of 51 mm (20 meters each)	5000
3.20	Fire hoses with a diameter of 77 mm (20 meters each)	5000
3.21	Fire hoses with a diameter of 150 mm (20 meters each)	500
3.22	Suction hoses diameter 125 mm	500
3.23	Bon barriers (550 mm x 220 m)	50,000 meters
3.24	Water filling or prefabricated dams	100
3.25	Sorbent	20,000 litres
3.26	Mobile water purification station	30

4. Points of entry: TBD

5. Delivery point: TBD

6. The Operational Point of Contact can be reached in the following ways:

Ukraine requested the EADRCC to act as the Primary Point of Contact for humanitarian donations through NATO. The Mission of Ukraine to NATO will handle the acceptance of the offers. For any inquiries, updates or offers, please contact the EADRCC directly:

Name	Duty Officer
Organization	NATO Euro-Atlantic Disaster Response Coordination Centre
Telephone:	+32 475 829071
E-mail:	nato.eadrcc@hq.nato.int